



S/V Dolce Vita



[Home](#)

[Specifications](#)

[History of Hull #42](#)

[Equipment & Systems](#)

[Manuals & Data Sheets](#)

[Projects](#)

[Photo Gallery](#)

[Stories](#)

[Links](#)

[About Us](#)

[Blog](#)


Deck Equipment

Winches

- Two Lewmar 40s, 2-speed, non-self-tailing, mounted on coaming came OEM. In fall 2011, replaced with two self-tailing two-speed Andersen 45s.
- Two Lewmar 8s, 1-speed, non-self-tailing, mounted on mast

Traveler

- Track: "X" style, [Nicro Fico NF-610](#)
 - Top width 1 7/16"
 - Height 1 5/16"
 - Bottom Width 1 3/4"
 - Length 59 3/4" (measured along track)
 - Track bent into an arc with ~ 3 1/4" rise at center
- Car: NF-588 4-wheel, with attached control blocks
- Control blocks: NF-836, up to 7/16" line, 1 1/8" delrin sheeve (NF 73), integral becket
- End Stops: NF-611N neoprene, secured with 2" x 5/16" SS pin (NF 611P) pres fit into hole drilled 3/4" from track end
- [Rig-Rite](#) purchased a lot of Pearson's inventory and still has some parts available.



Ground Tackle

- ?? lb Claw on bow roller, with 50(?) ft of 7/16" chain, SS swivel, and 200 ft of 3/4" line
- ?? lb Danforth on bow pulpit bracket, with ?? ft of 5/16" chain and 100 ft of 5/8" line,
- SS Chain snubber
- ?? lb plow, not aboard

Hatches

- Two hatches: Main Cabin and V-Berth
- Bomar 100-Series, Original Equipment
- Cast Aluminum Almag-35
- Standard black finish (worn out)
- Tinted Lexan
- Support Bars Under Lexan
- Can only be opened from inside

- Parts & New Hatches Still Available (2012):
 - [Bomar/Gray](#) (Pompanette, LLC)
- Completely Rebuilt and Rebedded in 2012



Hatch Data		
	Main Cabin	V-Berth
Part No.	C170--STD-B	C139MED-STD-B
Cutout Dimensions	16 1/2" x 16 1/2"	19 7/16" x 19 7/16"
Cutout Corner Radius	1 1/16"	3/4"
Deck Flange Outside Dimensions	19" x 19"	22 3/8" x 22 3/8"
Lid Outside Dimensions	18 1/2" x 18 1/2"	22" x 22"
Lexan Dimensions	16 3/4" x 16 3/4"	19 5/8" x 19 5/8"
Lexan Corner Radius	???	???
Number of Support Bars	1	2
Number of Tie-Down Dogs	2	2
Number of Riser Arms	1	1
Spigot Length	1"	N/A
Trim Ring Available	Yes	No

Repair Parts	
Description	Part No.
Riser Arm Assembly	P100-00

Repair Parts	
Description	Part No.
Riser Arm Male Knob (5/16")	P100-06
Tie-down Dog Assembly	P100-09
Tie-down Dog Female Knob (5/16")	P100-08
9/16" Gasket, by the foot	P100-52

Ports

- Four, Fixed, Aluminum Frames, Main Cabin
 - Two Trapezoidal
 - Two Rectangular
 - Use same glazing and moulding gaskets as Catalina
 - Were resealed by a Previous Owner
 - Parts available from [Catalina Direct](#)
- Three, Small, Fixed, Black Plastic Frames
 - Two in V-Berth
 - One above hanging locker
 - Trim Outside Dimensions 16 5/8" x 6 3/4"
 - Window dimensions 13 3/4" x 3 3/4"
 - May be [Beckson "Newport" fixed ports](#)
- One Small, Opening, With screen (broken), in Head/Shower, Black Plastic Frame
 - Trim Outside Dimensions 16 5/8" x 6 1/2" ??
 - Opening Dimensions 17 7/8" x 3 7/8"
 - Probably made by Beckson or Gray (now Bomar/Gray)
 - [Bomar/Gray](#) PN G414-SD18 ??
 - [Beckson "Newport" PN 414](#)

Steering & Pedestal

- Edson
-
-

Compass

- 5" Richie
- Model: SP-5 Globemaster
- Ser: D76

Deckplates

- Fuel Fill
 - 2 1/8" dia chromed brass cap
 - 1/4" holes spaced 1 1/8"
 - Trim ring label "Gas"
- Rudder Post Access

- Aluminum 6 7/8" dia. cap
- 1/4" holes spaced 3"
- Unlabeled
- Port Tank Freshwater Fill
 - 2" dia black plastic cap
 - 1/4" holes spaced 1 1/16"
 - Trim ring label "Water"
- Bow Tank Freshwater Fill
 - 2" dia chromed brass cap
 - 7/32" holes spaced 1 3/16", with slot
 - Trim ring label "Water"
- Starboard Tank Freshwater Fill
 - 2" dia chromed brass cap
 - 7/32" holes spaced 1 3/16", with slot
 - Trim ring label "Water"
- Holding Tank Pumpout
 - Black plastic cap
 - Trim ring label "Waste"
- Bow Ventilator
 - 4" dia opening, white plastic
 - Currently capped, no vent scoop present

Copyright © 2012 Edward Criscuolo. All Rights Reserved.